

FILE NO. 03-1988
BOOK 2 PAGE 104

03 APR -4 AM 6:08

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

Fee \$6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 36, Township 84 NORTH, Range 4 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in BOOK 1 PAGE 247 in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NE CORNER OF SECTION 36, T84N
R4E. FOUND IRON ROD WITH YELLOW CAP NO. 5339
ESTABLISHED AS CORNER BASED ON RECORDED CORNER
CERTIFICATE

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corners List Corners to be Indexed
Section Top Range
NE 36 84N 4E
corner

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>FAIRFIELD</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	#

FILE NO. 03-1989
BOOK 2 PAGE 105

03 APR -4 AM 6:08

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER
Fee \$6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 36, Township 84 North, Range 4 East, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in BOOK 1 PAGE 247 in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: EAST 1/4 CORNER OF SECTION 36
T84N, R4E FOUND IRON ROD WITH YELLOW CAP
NO 5339 ESTABLISHED BY CORNER CERTIFICATE
RECORDED IN BOOK 1, PAGE 247

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.
Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)
LICENSE NUMBER 10134
MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corners List Corners to be Indexed
Section Top Range
EAST 1/4 36 84N 4E
Corner

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>FAIRFIELD</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	

FILE NO. 03-1990
 BOOK 2 PAGE 106
 03 APR -4 AM 6:08
 PHYLLIS M. GERLACH
 JACKSON COUNTY, IOWA
 RECORDER
 Fee \$6.00


Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF

Land Survey Monuments situated in Section 36, Township 84 NORTH, Range 4 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
 Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)
 Monument Description and Remarks: SE CORNER OF THE NW 1/4 OF THE
NE 1/4 OF SECTION 36, T84N, R4E, SET 5/8" X 36"
IRON ROD WITH ORANGE CAP NO 10134, CORNER
ESTABLISHED BY COMPUTATIONS OF EXISTING FENCES AND
RETRACEMENTS OF DEED SET ON LINE AND EQUAL DISTANCE
PLAN - VIEW BETWEEN 1/4 1/4 CORNERS
(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.
Paul C. Brashaw 3/31/2003
 PAUL C. BRASHAW (DATE)
 LICENSE NUMBER 10134
 MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corners	List Corners to be Indexed	Section	Range
SE, NW, NE	36	84N	4E
1/4			

MONUMENT RECORD	
COUNTY: <u>JACKSON</u>	
TOWNSHIP: <u>FAIRFIELD</u>	
DATE PLOTTED:	FIELD BOOK #
DATE REVISED:	PAGE #
	DRAWING #

FILE NO. 03-1991
BOOK 2 PAGE 107

03 APR -4 AM 6:08

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

Fee \$6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE



OF

Land Survey Monuments situated in Section 36, Township 24 NORTH, Range 4 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NORTH 1/4 CORNER OF SECTION 36
T24N, R4E, SET 5/8" X 36" IRON ROD WITH
ORANGE CAP NO. 10134 15" BELOW GRADE, CORNER
ESTABLISHED BY COMPUTATIONS OF EXISTING FENCE LINES
AND DEED RECORDED IN BOOK 163, PAGE 95
PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.
Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)
LICENSE NUMBER 10134
MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corner	List Corners to be Indexed	Section	Range
NORTH 1/4 corner	36	24N	4E

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>FAIRFIELD</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	

FILE NO. 03-1992
BOOK 2 PAGE 108

03 APR -4 AM 6:08

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER # 02

Fee 6. 00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 36, Township 84 NORTH, Range 4 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SW CORNER OF THE NW 1/4 OF THE NE 1/4 OF SECTION 36, T 84 N, R 4 E. SET 5/8" x 36" IRON ROD WITH ORANGE CAP NO. 10134, CORNER EXISTED BY COMPUTATIONS OF EXISTING FENCES AND RETRACEMENT OF DEEDS IN THIS AREA.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A FULLY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

List Corners to be Indexed
Corners Section Top Range
SW 1/4 36 84 N 4 E
NE 1/4
1/4

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>FAIRFIELD</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	

FILE NO. 03-1993
BOOK 2 PAGE 109

03 APR -4 AM 6:08

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

Fee \$6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE


OF

Land Survey Monuments situated in Section 36, Township 84 North, Range 4 East, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SE CORNER OF THE NE 1/4 OF THE
NE 1/4 OF SECTION 36, T84N, R4E SET 5/8" X 36"
IRON ROD WITH ORANGE CAP NO. 10134, ESTABLISHED
ON LINE AND EQUAL DISTANCE BETWEEN THE NE
CORNER AND THE EAST 1/4 CORNER OF SECTION 36

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 3/31/2003
(DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

List Corners to be Indexed
Corners Section Indexed Top Range
SE NE 36 84N 4E
1/4 NE 36
1/4

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>FAIRFIELD</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING #
DATE REVISED:	PAGE #	



Document 09-4765

Book 2 Page 692 Type 15 001 Pages 1
Date 12/11/2009 Time 11:34 AM
Rec Amt \$9.00ARLENE SCHAUF, RECORDER/REGISTRAR
JACKSON COUNTY IOWA

Prepared by Thomas C. Tucker, L.S., 3851 Eagle Hts., Clinton, IA 52732 (563-242-5392)

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF

Land Survey Monuments situated in Section 36, Township 84 N, Range 4 E, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in Bk. 2, P. 109 in County Recorder's Office.
(book, page, document number, etc.)


(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks:

This corner certificate was made because the corner certificate noted above did not give the distances to the reference points that were noted on said certificate. All 3 reference monuments shown here are $\frac{1}{2}$ " X 24" iron rods w/yellow plastic cap #5339 set on the easterly ROW line pertaining to the survey for Parcel "D".

PLAN - VIEW


(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I hereby certify that the survey work was completed and this land surveying document was prepared by me or under my direct personal supervision and that I am a duly registered land surveyor under the laws of the state of Iowa

Signature: Thomas C. Tucker
Name typed or printed: Thomas C. TuckerDate: 12/7/09 Reg. No. 5339My registration renewal date is December 31, 2009

SEAL



Corners	List Corners to be Indexed	Section	Twp	Range
SE corner				
NE $\frac{1}{4}$ -NE $\frac{1}{4}$	36	84N	4E	

Book 2 Page 692