



Document 07-455

Book 2 Page 516 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 11, Township 84 North Range 6 East, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ In County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SE CORNER OF THE SE 1/4 OF SECTION 11, T.84N, R.6E. SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO. 10134. ESTABLISHED BY PROPORTING DISTANCES BETWEEN EAST 1/4 CORNER OF SECTION 11 AND 1/4 1/4 CORNER FENCE CORNER TO THE SOUTH AND IN LINE WITH NORTH-SOUTH FENCE TO THE SOUTH

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw Feb 2, 2007
(DATE)

PAUL C. BRASHAW

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

1/4 1/4 LINE FENCE

List Corners to be Indexed
Corners Section Tap Range
SE CORNER 11 84N 6E

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>1060A</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	#

Book 2 Page 516



Document 07-456

Book 2 Page 517 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF


Land Survey Monuments situated in Section 11, Township 84 North, Range 6 East, of the Fifth Principal Meridian, Jackson County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(Book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SE CORNER OF THE NW 1/4 OF THE SE 1/4 OF SECTION 11, T84N, R6E SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO. 10134. ESTABLISHED AT ACCEPTED LOCATION OF EXISTING OCCUPATION FENCE CORNER NO OTHER EVIDENCE COULD BE FOUND.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



	I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.		List Corners to be Indexed Corners Section Top Range SE COR. 11 T84N 6E NW 1/4 SE 1/4	
	Paul C. Brashaw Feb 2, 2007 (DATE) LICENSE NUMBER 10134 MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008			

COUNTY: JACKSON TOWNSHIP: TOWA		MONUMENT RECORD	
DATE PLOTTED: DATE REVISED:	FIELD BOOK # PAGE #	DRAWING #	

Book 2 Page 517



Document 07-457

Book 2 Page 518 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7 00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF

Land Survey Monuments situated in Section 11, Township ~~84~~ ⁸⁵ North Range ~~6 East~~ ^{6E}, of the Fifth Principal Meridian, Jackson County, Iowa.
Previously recorded in _____ In County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NW CORNER OF THE SE 1/4 OF SECTION 11, T84N, R6E, SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO 10134. ESTABLISHED AT ACCEPTED FENCE LINE INTERSECTION. NO OTHER EVIDENCE COULD BE FOUND.

PLAN - VIEW



(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

NW CORNER OF THE SE 1/4 OF SECTION 11
T84N, R6E, SET 5/8" X 36" IRON ROD
WITH ORANGE CAP NO 10134 AT
FENCE CORNER.

600 NAIL IN
BASE OF 30"
WHITE OAK

FENCE
9.46'

600 NAIL IN
TOP OF WOOD
FENCE POST



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A FULLY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw Feb 2, 2007
(DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

Corners	List	Corners to be Indexed	Section	Range
NW Cor	SE 1/4	11	84N	6E

MONUMENT RECORD		
COUNTY: JACKSON		
TOWNSHIP: IOWA		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	

Book 2 Page 518



Document 07-458

Book 2 Page 519 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE



OF

Land Survey Monuments situated in Section 11, Township 84 NORTH, Range 6 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NE CORNER OF THE NW 1/4 OF THE SE 1/4 OF SECTION 11, T 84 N. R 6 E. ESTABLISHED ON LINE AND EQUAL DISTANCE BETWEEN THE EAST 1/4 CORNER AND THE NW CORNER OF THE SE 1/4 OF SECTION 11, NO OTHER EVIDENCE COULD BE FOUND. SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO 10134.
PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul Brashaw Feb 2, 2007
(DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

List Corners to be Indexed
Corners Section Twp Range
NE COR. 11 84 N 6 E
NW 1/4
SE 1/4

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>10 N</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	

Book 2 Page 519



Document 07-459

Book 2 Page 520 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 11, Township 84 North, Range 6 East, of the Fifth Principal Meridian, Jackson County, Iowa.
Previously recorded in _____ In County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: EAST 1/4 CORNER OF SECTION 11, T84N R6E, SET 5/8" x 36" IRON ROD WITH ORANGE CAP NO. 10134, ESTABLISHED BY THE ACCEPTED OCCUPATION FENCE CORNER INTERSECTION NO OTHER EVIDENCE COULD BE FOUND.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw Feb 2, 2007
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

List Corners to be Indexed
Corners Section Top Range
E 1/4 COR 11 84N 6E

MONUMENT RECORD		
COUNTY: <u>Jackson</u>		
TOWNSHIP: <u>106th</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	

Book 2 Page 520

PREPARED BY:
HINKLE SURVEYING
1117 SPRINGBROOK LANE
DEWITT, IA 52742
PHONE (563) 219-1087



Document 18-1269

Book 2018 Page 1269 Type 15 001 Pages 1
Date 4/24/2018 Time 10:12 AM
Rec Amt \$7.00

ARLENE SCHAUF, RECORDER/REGISTRAR
JACKSON COUNTY IOWA

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF

Land Survey Monuments situated in Section 11, Township 84 N, Range 6 E, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in DOC 07-458, BOOK 2 PAGE 519 in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: FOUND 5/8" REBAR WITH ORANGE CAP NO. 10134.

LOCATION MATCHES RECORD PLAT DOCUMENT 02-5207.

PREPARED CERTIFICATE BECAUSE I REPLACED THE REFERENCE MONUMENTS..

JOB # 18-1994 HASKEN FARM SURVEY

SET MAG NAIL IN TOP
OF WOOD FENCE POST

8.60'



SET MAG NAIL IN
WOOD FENCE POST
0.12' WEST OF MONUMENT

8.60'

FOUND 5/8" REBAR W/
ORANGE CAP NO. 10134
N.E. COR. N.W. 1/4
S.E. 1/4 SEC. 11

SET MAG NAIL IN TOP
OF WOOD FENCE POST

EXISTING FENCE



DRAWING NOT TO SCALE

I hereby certify that the survey work was completed and this land surveying document was prepared by me or under my direct personal supervision and that I am a duly licensed land surveyor under the laws of the state of Iowa

Signature: *D. M. Hinkle*

Name typed or printed:


DOUGLAS M HINKLE

Date: 4/5/2018

Reg. No. 18875

My registration renewal date is December 31, 2019

SEAL



List Corners to be Indexed

Corners	Section	Twp	Range
N.E. COR.	11	84 NORTH	6 EAST
N.W. 1/4			
S.E. 1/4			

PREPARED BY:
HINKLE SURVEYING
1117 SPRINGBROOK LANE
DEWITT, IA 52742
PHONE (563) 219-1087



Document 18-1270

Book 2018 Page 1270 Type 15 001 Pages 1
Date 4/24/2018 Time 10:13 AM
Rec Amt \$7.00

ARLENE SCHAUF, RECORDER/REGISTRAR
JACKSON COUNTY IOWA

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF

Land Survey Monuments situated in Section 11, Township 84 N, Range 6 E, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in N/A in County Recorder's Office.

(book, page, document number, etc.)


(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: FOUND 5/8" REBAR WITH BLUE CAP NO. 18875 PER

PLAT OF SURVEY DOCUMENT NUMBER 07-2412, BOOK 1-R, PAGE 65.

PREPARED CERTIFICATE BECAUSE NONE FOUND ON FILE AT THE RECORDER'S OFFICE.

JOB # 18-1994 HASKEN FARM SURVEY



DRAWING NOT TO SCALE


I hereby certify that the survey work was completed and this land surveying document was prepared by me or under my direct personal supervision and that I am a duly licensed land surveyor under the laws of the state of Iowa

Signature: D. M. Hinkle
Name typed or printed: DOUGLAS M HINKLE

Date: 4/5/2018 Reg. No. 18875

My registration renewal date is December 31, 2019

SEAL



List Corners to be Indexed

Corners	Section	Twp	Range
S.W. COR.	11	84 NORTH	6 EAST
S.E. 1/4			
S.E. 1/4			



Document 24-2

Type 15 001 Pages 1
Date 1/02/2024 Time 8:32 AM
Rec Amt \$7.00ARLENE SCHAUF, RECORDER/REGISTRAR
JACKSON COUNTY IOWA

PREPARED BY: MICHAEL J. WEBER, WEBER SURVEYING, LLC, 26789 46TH AVE, BERNARD, IA 52032 (563) 879-4173

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF
LAND SURVEY MONUMENTS SITUATED IN SECTION 11, TOWNSHIP 84 NORTH, RANGE 6 EAST
OF THE FIFTH PRINCIPAL MERIDIAN, JACKSON COUNTY, IOWA.
PREVIOUSLY RECORDED SEE NOTES BELOW

(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)


Monument Description and Remarks:

-NE COR. SEC. 11, T84N R6E OF THE 5TH P.M. PLACED 5/8" DIA. REROD W/ORANGE CAP NO. 15084. ESTABLISHED CORNER 60.11 CHAINS BEING THE ORIGINAL GOVERNMENT DISTANCE WEST OF THE NE COR. OF SEC. 12, T84N R6E. AND 2639.67' NORTH OF THE EAST 1/4 COR., OF SEC. 11, T84N R6E

-NORTH 1/4 COR., SEC. 11, T84N R6E OF THE 5TH P.M. PLACED 5/8" DIA. REROD W/ORANGE CAP NO. 15084. ESTABLISHED CORNER AT THE INTERSECTION OF THE NORTH SOUTH FENCE LINE AND CENTERLINE OF 83RD STREET

-EAST 1/4 COR., SEC. 11, T84N R6E FOUND 5/8" DIA. REROD W/ORANGE CAP NO. 10134 PREVIOUSLY RECORDED IN SECTION CORNER CERTIFICATE DOC. NO. 07-459, BOOK 2 PAGE 520

-SE COR., SEC. 11, T84N R6E FOUND 5/8" DIA. REROD PREVIOUSLY RECORDED IN SECTION CORNER CERTIFICATE DOC. NO. 07-455, BOOK 2 PAGE 516





Document 24-3321

Type 15 001

Pages 1

Date 12/06/2024 Time 9:16 AM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER/REGISTRAR
JACKSON COUNTY IOWA

PREPARED BY: MICHAEL J. WEBER, WEBER SURVEYING, LLC, 26789 46TH AVE, BERNARD, IA 52032 (563) 879-4173

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF

LAND SURVEY MONUMENTS SITUATED IN SECTION 11, TOWNSHIP 84 NORTH, RANGE 6 EAST
OF THE FIFTH PRINCIPAL MERIDIAN, JACKSON COUNTY, IOWA.



PREVIOUSLY RECORDED NONE

(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks:

-SE COR., NE-NE, SEC. 11, T84N R6E OF THE 5TH P.M. PLACED 5/8" DIA. REROD W/ORANGE CAP NO. 15084.
ESTABLISHED CORNER MIDWAY AND ONLINE BETWEEN THE NE COR. AND THE EAST 1/4 COR. OF SAID SECTION 11



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS
PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR
UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY
LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Michael J. Weber December 5, 2024
MICHAEL J. WEBER (DATE)

LICENSE NUMBER 15084

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2025

SHEETS COVERED BY THIS SEAL: THIS SHEET

List Corners to be Indexed
Corner Sec Twp Range
SE COR., NE-NE 11-84N-6E

DWG. NO. 23152-2