

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF


Land Survey Monuments situated in Section 28, Township 84 N, Range 6 E, of the Fifth Principal Meridian, JACKSON County, Iowa.
 Previously recorded in NOT APPLICABLE in County Recorder's Office.
 (book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NE CORNER WAS NOT FOUND PER
IA. DOT TIES OF 1960±. WE RESET THIS CORNER BY
SPLITTING ROADWAY FENCES & INTERSECTING WITH FENCE TO
THE EAST. SE CORNER WAS SET BY PROJECTING AN
E-W & OF 17TH ST. TO INTERSECT A N-S & OF 550TH AVE.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I hereby certify that the survey work was completed and this certificate was prepared by me or under my direct personal supervision and that I am a duly registered land surveyor under the laws of the state of Iowa.

Signature: James L. Egger
 Name typed or printed: JAMES L. EGGER P.E. & L.S.

Date: DEC. 10, 1996 Reg. No. 7983

SEAL



List Corners to be Indexed
 Corners Section Twp Range

NE 28 84N 6E

SE 28 84N 6E

FILE NO 005423
 BOOK 1 PAGE 299

1996 DEC 16 AM 9:44

SHIRLY RITENOUR
 JACKSON COUNTY, IOWA
 RECORDER

due 6:00

02 0580

FILE NO. 1 PAGE 522

02 FEB -1 PH 2:40

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

See \$6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 28, Township 84 North, Range 6 East, of the Fifth Principal Meridian, Jackson County, Iowa.
Previously recorded in NO corner certificate in County Recorder's Office.
(book, page, document number, etc.) on file

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: Set 5/8" x 36" Iron Rod with Orange cap No 10134 at THE EAST 1/4 Corner of Section 28, T84 N, R6 E, on line and Equal distance between the SE and NE Corners of SECTION 28

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 1-31-2002
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2002

List Corners to be Indexed
Corners Section Top Range
E 1/4 28 84 N 6 E

MONUMENT RECORD		
COUNTY: <u>Jackson</u>		
TOWNSHIP: <u>IOWA</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	

ORDER ^{AS} Fee: 6.⁰⁰


SLSI 9-94

OF

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



MY LICENSE RENEWAL DATE IS DECEMBER 31, 2007

Corners	List Corners to be Indexed Section	Top	Range
W 1/4	28	84 N	6 E

		MONUMENT RECORD	
		COUNTY: <u>JACKSON</u>	
		TOWNSHIP: <u>LOWE</u>	
DATE PLOTTED:	FIELD BOOK #		
DATE REVISED:	PAGE #	DRAWING #	