

Sec. 17




LAND T-84&85-N CORNER SURVEY R-3-E
 MADE FOR
 IOWA STATE HIGHWAY COMMISSION FOR THE PURPOSE OF R.O.W.
 DESCRIPTIONS ON RELOCATION OF IOWA PRIMARY ROAD NO. 62 FROM
 MAQUOKETA NORTH TO TOWN OF ANDREW.
 MADE BY
 JOHN D. FRANKLIN R.L.S. NO. 2051
 JACKSON COUNTY F-991
 JUNE-JULY 1958






ALL DISTANCES WERE CAREFULLY MEASURED AND MAY NOT AGREE WITH ROAD SURVEY
 STATIONING.
 FOR COMPLETE INFORMATION ON THIS SURVEY, SEE FIELD NOTES ON FILE IN AGENCIES
 OFFICE.

I HEREBY CERTIFY THAT THIS PLAT IS A TRUE REPRESENTATION OF A SURVEY MADE BY
 ME, ASSISTED BY JAMES D. FRANKLIN, R. F. POPELKA, R. H. JANSZ, W. M. MYERS, L. R. MC
 GUIRE AND R. R. VAN HORBECK, ALL DULY SWORN, AND IS CORRECT TO THE BEST OF MY
 KNOWLEDGE.


SIGNED: November 21, 1958

John D. Franklin
 JOHN D. FRANKLIN R.L.S. NO. 2051





Sec. 17



LAND CORNER SURVEY
T-84-N MADE FOR R-3-E
IOWA STATE HIGHWAY COMMISSION FOR THE PURPOSE OF R.O.W. DESCRIPTIONS ON RELOCATION OF IOWA PRIMARY ROAD NO. 62 FROM MAQUOKETA NORTH TO TOWN OF ANDREW.
MADE BY
JOHN D. FRANKLIN JACKSON COUNTY R.L.S. NO. 2051 F-991
JUNE - JULY 1958

ALL DISTANCES WERE CAREFULLY MEASURED AND MAY NOT AGREE WITH ROAD SURVEY STATIONING FOR COMPLETE INFORMATION ON THIS SURVEY, SEE FIELD NOTES ON FILE IN AMES OFFICE.




I, HEREBY CERTIFY THAT THIS PLAT IS A TRUE REPRESENTATION OF A SURVEY MADE BY ME, ASSISTED BY JAMES D. FRANKLIN, R.F. POPELKA, R.H. JANS, W.M. MYERS, L.R. MCGUIRE AND R.P. VAN HORBECK, ALL DULY SWORN, AND IS CORRECT TO THE BEST OF MY KNOWLEDGE.

SIGNED: February 24, 1959



JOHN D. FRANKLIN R.L.S. NO. 2051

CORRECTION PLAT: THIS PLAT SUPERSEDES THAT PORTION OF THE PRECEDING PLAT FOR JACKSON CO. F-991, DATED NOVEMBER 21, 1958, SHOWING SECTIONS 19, 20 & 17, T-84-N, R-3-E OF THE 5TH P.M. THEREFORE ALL INTERSECTIONS AND PERTINENT DATA ON SAID PRECEDING PLAT THROUGH SECTIONS 19, 20 & 17 ARE NULL AND VOID. THIS PLAT SHOWS ALL THE CORRECTIONS NEEDED FOR HIGHWAY R.O.W. DESCRIPTIONS FOR THIS PROJECT.



01 DEC 19 AM 10:41

PREPARED BY: EGGER ENGINEERING AND LAND SURVEYING, P.C.
2395 TECH DRIVE SUITE 8 BETTENDORF, IOWA 52722 319-332-6330

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE
OF

2006.00

Land Survey Monuments situated in Section 17, Township 84, Range 3E, of the Fifth Principal Meridian, JACKSON County, Iowa. Previously recorded in COUNT ENGINEER'S OFFICE in County Recorder's Office.


(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: THE SW CORNER HAS BEEN USED BY LOCAL SURVEYORS BUT NEVER TIED TO REFERENCE MARKS.

THE S 1/4 COR. WAS REFERENCED BY EARLIER TIES, BUT THOSE TIES HAVE BEEN OBLITERATED.


PLAN - VIEW

(Show a minimum of three reference ties to durable physical object, relevant monuments and physical conditions that will enable recovery of the corner.)



SW COR
SEC. 17

ALL DISTANCES ARE
HORIZONTAL MEASURES.




SOUTH 1/4 COR.

I hereby certify that the survey work was completed and this certificate was prepared by me or under my direct supervision and that I am a duly registered land surveyor under the laws of the state of Iowa.

Signature: James L. Egger
James L. Egger L.S.

Date: Dec. 17, 2001 Reg. No. 7983

SEAL



Corners	Section	Twp	Range
SW	17	84	3E
S 1/4	17	84	3E

FILE NO. 01-5319
PAGE 500
01 DEC 21 AM 11:09

PREPARED BY: EGGER ENGINEERING AND LAND SURVEYING, P.C.
2395 TECH DRIVE SUITE 8 BETTENDORF, IOWA 52722 319-332-1830

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE
OF

Land Survey Monuments situated in Section 17, Township 84, Range 3E, of the Fifth Principal Meridian, JACKSON County, Iowa. Previously recorded in COUNT ENGINEER'S OFFICE in County Recorder's Office.
(book, page, document number, etc.)


(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: THE SW CORNER HAS BEEN USED BY LOCAL SURVEYORS BUT NEVER TIED TO REFERENCE MARKS.

THE S 1/4 COR. WAS REFERENCED BY EARLIER TIES, BUT THOSE TIES HAVE BEEN OBLITERATED.


PLAN - VIEW

(Show a minimum of three reference ties to durable physical object, relevant monuments and physical conditions that will enable recovery of the corner.)



SW COR
SEC. 17

ALL DISTANCES ARE
HORIZONTAL MEASURES.




SOUTH 1/4 COR.

I hereby certify that the survey work was completed and this certificate was prepared by me or under my direct supervision and that I am a duly registered land surveyor under the laws of the state of Iowa.

Signature: James L. Egger
James L. Egger L.S.

Date: Dec. 19, 2001 Reg. No. 7983

SEAL



Corners	Section	Twp	Range
SW	17	84	3E
S 1/4	17	84	3E