

P.O.T. STA. 1129+72.92 BACK
P.O.T. STA. 0+00 AHEAD












MADE FOR
IOWA DEPARTMENT OF TRANSPORTATION
FOR PURPOSE OF R.O.W. DESCRIPTION
IA. 64 JACKSON CO. LINE TO MONMOUTH

I CERTIFY THAT THIS PLAT AND SURVEY WERE
MADE BY ME OR UNDER MY DIRECT PERSONAL
SUPERVISION AND THAT I AM A DULY REGISTERED
LAND SURVEYOR UNDER THE LAWS OF THE STATE
OF IOWA.

ASSISTED BY L.R. McGUIRE, D.L. STOOKEY & M.C. HORST

DATE FEB. 26, 1979

JOHN T. BOYCE R.L.S. NO. 6805



4/2/03 See Corner
Cert in Bk 2 Pg 34 as
#03-1865

02 0601

FILE NO. 000 / 1 PAGE 543

02 FEB -1 PM 2:43

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

Fee \$6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF


Land Survey Monuments situated in Section 19, Township 84 North, Range 1 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in no corner certificate in County Recorder's Office.
(book, page, document number, etc.) on file

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: WEST 1/4 CORNER OF SECTION 19 T84N,
R1E SET 5/8" x 36" IRON ROD WITH ORANGE CAP
#10134 AT EXISTING OCCUPATION FENCE LINE
INTERSECTION

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.
Paul C. Brashaw 1-31-2002 (DATE)
PAUL C. BRASHAW
LICENSE NUMBER 10134
MY LICENSE RENEWAL DATE IS DECEMBER 31, 2002

List Corners to be Indexed
Corners Section Top Range
W 1/4 19 84N 1E

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>MONMOUTH</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	

FILE NO. 03-1857
BOOK 2 PAGE 26

03 APR -2 AM 7:11

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER 00
Feb 6. -

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

SLSI 9-94

OF


Land Survey Monuments situated in Section 19, Township 84 NORTH, Range 1 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SOUTH 1/4 CORNER OF SECTION 19
T84N, R1E, FOUND 5/8" IRON ROD (NO CAP) NEAR
FENCE LINE INTERSECTION. ACCEPTED FOR CORNER AFTER
FIELD MEASUREMENTS WERE VERIFIED TO OTHER CORNERS

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.
Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)
LICENSE NUMBER 10134
MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corners	List Corners to be Indexed	Section	Range
South 1/4 corner	19	84N	1E

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>MORMON</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	

FILE NO. 03-1858
BOOK 2 PAGE 27

03 APR -2 AM 7:11

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER
Fee 6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF


Land Survey Monuments situated in Section 19, Township 84 NORTH, Range 1 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SOUTHWEST CORNER OF THE SW
1/4 OF SECTION 19, T84N, R1E, FOUND 1" IRON
PIPE AS SHOWN ON PLAT BY J.G. THORNE, RECORDED
IN BOOK 1-C, PAGE 25. ACCEPTED FOR CORNER
LOCATION.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corner	List Corners to be Indexed	Section	Top	Range
SW Corner	19	84N	1E	

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>MONMOUTH</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	#

FILE NO. 03-1859
BOOK 2 PAGE 28

03 APR -2 AM 7:11

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER #100
Fee 6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

SLSI 9-94



OF

Land Survey Monuments situated in Section 19, Township 84 NORTH, Range 1 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)


(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SE CORNER OF THE SW 1/4 OF THE SW 1/4 OF SECTION 19, T84N, R1E, SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO 10134, CORNER SET ON LINE BETWEEN THE SW CORNER AND THE SOUTH 1/4 CORNER AT PROPORTED DISTANCE TO GOVERNMENT SURVEY NOTES
PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



SE CORNER OF THE SW 1/4 OF THE SW 1/4 OF SECTION 19, T84N, R1E SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO 10134



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.
Paul C. Brashaw 3/31/2003 (DATE)
PAUL C. BRASHAW
LICENSE NUMBER 10134
MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corner List Corners to be Indexed
Section Top Range
SE 1/4 SW 19 84N 1E
1/4 SW 19
1/4

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>MONMOUTH</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING #
DATE REVISED:	PAGE #	

FILE NO. 03-1862
BOOK 2 PAGE 31

03 APR -2 AM 7:11

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

Fee 6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF

Land Survey Monuments situated in Section 19, Township 24 NORTH, Range 1 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)



(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SE CORNER OF THE SE 1/4 OF SECTION 19, T24N, R1E, SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO. 10134 AT INTERSECTION OF FENCE LINE ACCEPTED FOR CORNER, NO OTHER EVIDENCE COULD BE FOUND.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

200 NAIL IN 24" HICKORY TREE



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

List Corners to be Indexed
Corners Section Top Range
SE 19 24N 1E
corner

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>MUMMOUTH</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	

FILE NO. 03-1863
BOOK 2 PAGE 32

03 APR -2 AM 7:11

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER
Fee 6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 19 Township 84 NORTH, Range 1 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in Book 1, Page 103 In County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NE CORNER OF THE NE 1/4 OF SECTION 19 T84N, R1E, FOUND PK NAIL IN DIVISION STREET, ACCEPTED AS CORNER LOCATION

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DAILY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

List Corners to be Indexed
Corners Section Top Range
NE corner 19 84N 1E

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>MAMMOUTH</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING #
DATE REVISED:	PAGE #	

FILE NO. 03-1864
 BOOK 2 PAGE 33
 03 APR -2 AM 7:12
 PHYLLIS M. GERLACH
 JACKSON COUNTY, IOWA
 RECORDER W
 Fee 6.

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 19, Township 84 North, Range 1 East, of the Fifth Principal Meridian, JACKSON County, Iowa.
 Previously recorded in Book 1, Page 103 in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: EAST 1/4 CORNER OF SECTION 19
T84N, R1E. FOUND 1 1/2" IRON ROD 7" BELOW GRAVEL
ROAD SURFACE. ACCEPTED AS CORNER LOCATION.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.
Paul C. Brashaw 3/31/2003
 PAUL C. BRASHAW (DATE)
 LICENSE NUMBER 10134
 MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

List Corners to be Indexed
 Section Top Range
EAST 1/4 19 84N 1E
 corner

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>MGM MOUTH</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	

FILE NO. 03-1865
BOOK 2 PAGE 34

03 APR -2 AM 7:12

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER # 6600

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF

Land Survey Monuments situated in Section 19, Township 84 North, Range 1 East, of the Fifth Principal Meridian, Jackson County, Iowa.
Previously recorded in Book 1, Page 543 in County Recorder's Office.

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: WEST 1/4 CORNER OF SECTION 19, T84N, R1E. SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO. 10134. ACCEPT LOCATION OF EXISTING FENCE LINE INTERSECTION. NO OTHER EVIDENCE COULD BE FOUND.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

WEST 1/4 CORNER OF
SECTION 19, T84N
R1E. SET 5/8" X 36"
IRON ROD WITH
ORANGE CAP NO.
10134

ALL TIES ARE GOOD
NAILS IN TOP OF WOOD
FENCE POST



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.
Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)
LICENSE NUMBER 10134
MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corners List Corners to be Indexed
Section 19
Range 1E
Township 84N
West 1/4 corner

MONUMENT RECORD	
COUNTY: <u>JACKSON</u>	
TOWNSHIP: <u>T84N MOUTH</u>	
DATE PLOTTED:	FIELD BOOK #
DATE REVISED:	PAGE #
DRAWING #	

FILE NO. 03-1866
BOOK 2 PAGE 35

03 APR -2 AM 7:12

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER # 600
Fee 6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

SLSI 9-94

OF



Land Survey Monuments situated in Section 19, Township 84 NORTH, Range 1 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ In County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NW CORNER OF THE NW 1/4 OF SECTION 19, T84 N, R1E. FOUND 1/2" IRON ROD BURIED 8" BELOW GRAVEL ROAD SURFACE, ACCEPTED AS CORNER LOCATION.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.
Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)
LICENSE NUMBER 10134
MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

List Corners to be Indexed
Corners Section Top Range
NW 19 84N 1E
Corner

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>MONMOUTH</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	