



Document 07-461

Book 2 Page 522 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY, IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 30, Township 85 NORTH, Range 3 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SW CORNER OF THE SE 1/4 OF THE
NW 1/4 OF SECTION 30, T85N, R3E. SET 5/8" X 36"
IRON ROD WITH ORANGE CAP NO. 10134. CORNER
SET ON EAST-WEST 1/2 LINE USING FENCE TO THE NORTH
TO CONTROLL EAST-WEST DIRECTION

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

SW CORNER OF THE SE 1/4 OF THE
NW 1/4 OF SECTION 30, T85N, R3E
SET 5/8" X 36" IRON ROD WITH ORANGE
CAP NO. 10134I HEREBY CERTIFY THAT THIS LAND SURVEYING
DOCUMENT WAS PREPARED AND THE RELATED
SURVEY WORK WAS PERFORMED BY ME OR UNDER MY
DIRECT PERSONAL SUPERVISION AND THAT I AM A
DULY LICENSED LAND SURVEYOR UNDER THE LAWS
OF THE STATE OF IOWA.Paul C. Brashaw Feb 2, 2007
(DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

Corners	List	Corners to be	Indexed	Range
	Section	Top		
SW COR	30	85N	3E	
SE 1/4				
NW 1/4				

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>PERRY</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	#

Book 2 Page 522



Document 07-462

Book 2 Page 523 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 30, Township 8S NORTH, Range 3E EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NW CORNER OF THE SOUTH 1/2 OF THE SW 1/4 OF SECTION 30, T8S, R3E, SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO. 10134.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw Feb 2, 2007
(DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

List Corners to be Indexed
Section Top Range
NW COR 30 8S 3E
SOUTH 1/2
SW 1/4

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>PERRY</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	#

Book 2 Page 523



Document 07-467

Book 2 Page 528 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172



SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE
OFLand Survey Monuments situated in Section 30, Township 85 NORTH, Range 3 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NW CORNER OF THE SE 1/4 OF THE NW 1/4 OF SECTION 30, T85N, R3E, SET 5/8" x 36" IRON ROD WITH ORANGE CAP NO. 10134 ESTABLISHED EQUAL DISTANT BETWEEN NORTH AND SOUTH LINES OF THE NW 1/4 AND USING FENCE TO CONTROL E-W
PLAN - VIEW DIRECTION

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

I HEREBY CERTIFY THAT THIS LAND SURVEYING
DOCUMENT WAS PREPARED AND THE RELATED
SURVEY WORK WAS PERFORMED BY ME OR UNDER MY
DIRECT PERSONAL SUPERVISION AND THAT I AM A
DULY LICENSED LAND SURVEYOR UNDER THE LAWS
OF THE STATE OF IOWAPaul C. Brashaw Feb 2, 2007
(DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

Corners	List Corners to be Indexed	Section	Range
NW COR	30	85N	3E
SE 1/4			
NW 1/4			

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>PERRY</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	#

Book 2 Page 528



Document 07-468

Book 2 Page 529 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF

Land Survey Monuments situated in Section 30, Township 85 NORTH Range
3 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: EAST 1/4 CORNER OF SECTION 30
T 85 N. R3E SET 5/8" X 36" IRON ROD WITH ORANGE
CAP NO 10134. CORNER ESTABLISHED AT THE EXISTING
FENCE LINE INTERSECTION. NO OTHER EVIDENCE COULD
BE FOUND.

PLAN - VIEW


(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

EAST 1/4 CORNER OF SECTION
30 T 85 N. R3E. SET 5/8"
X 36" IRON ROD WITH ORANGE
CAP NO. 10134

600 MAIL SIDE
OF WOOD POST

600 MAIL IN SIDE
OF WOOD POST

600 IN 7"
ELM TREE



I HEREBY CERTIFY THAT THIS LAND SURVEYING
DOCUMENT WAS PREPARED AND THE RELATED
SURVEY WORK WAS PERFORMED BY ME OR UNDER MY
DIRECT PERSONAL SUPERVISION AND THAT I AM A
DULY LICENSED LAND SURVEYOR UNDER THE LAWS
OF THE STATE OF IOWA.

Paul C. Brashaw Feb 2, 2007
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

Corners List Corners to be Indexed
Section Top Range
E 1/4 30 85N 3E

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>PERRY</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	#

Book 2 Page 529



Document 07-469

Book 2 Page 530 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 30, Township 85 North Range 3 East, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SOUTH 1/4 CORNER OF SECTION 30 T85N R3E CORNER ESTABLISHED AT ACCEPTED LOCATION OF EXISTING FENCE INTERSECTION. NO OTHER EVIDENCE COULD BE FOUND. SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO 10134

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw Feb 2, 2007
(DATE)

PAUL C. BRASHAW

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

List Corners to be Indexed
Corners Section Twp Range
S 1/4 30 85N 3E

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>PERRY</u>		
DATE PLOTTED: <u>3-21</u>	FIELD BOOK #	DRAWING #
DATE REVISED: <u>2006</u>	PAGE #	

Book 2 Page 530



Document 07-470

Book 2 Page 531 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 30, Township 85 NORTH, Range 3 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NORTH 1/4 CORNER OF SECTION
T85N, R3E CORNER ESTABLISHED AT THE
ACCEPTED LOCATION OF EXISTING FENCE INTERSECTION
NO OTHER EVIDENCE COULD BE FOUND, SET 5/8" X 36"
IRON ROD WITH ORANGE CAP NO. 10134

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw Feb 3, 2007
(DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

List Corners to be Indexed
Corners Section Twp Range
N 1/4 30 85N, 3E

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>PERRY</u>		
DATE PLOTTED: <u>3-21</u>	FIELD BOOK #	DRAWING #
DATE REVISED: <u>2006</u>	PAGE #	

Book 2 Page 531