

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF


Land Survey Monuments situated in Section 19, Township 87 North, Range 3 East, of the Fifth Principal Meridian, Jackson County, Iowa.
Previously recorded in _____ in County Recorder's Office.

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: Northwest Corner was set after locating a old wooden hub about 2'± below the surface of the Centerville Road. The West Quarter Corner was a concrete monument with brass cap found. We found no existing ties to this monument so we tied it for future survey use.

PLAN - VIEW


(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



NW CORNER OF SEC. 19

2/1/02 See Corner
Cert #02-592

5/9/03 See Corner
Cert file #03-2839




West Quarter Corner Of Sec. 19

I hereby certify that the survey work was completed and this certificate was prepared by me or under my direct personal supervision and that I am a duly registered land surveyor under the laws of the state of Iowa.

Signature:

Name typed or printed:

James L. Egger
JAMES L. EGGER
Date: May 17, 1999 Reg. No. 7983



SEAL

Corners	List Corners to be Indexed	Section	Twp	Range
NW	19	87N.	3E.	
SW	18	87N.	3E.	
NE	24	87N.	2E.	
W 1/4	19	87N.	3E.	
E 1/4	24	87N.	2E.	

FILE NO. 99.1937
BOOK 1 PAGE 384

99 MAY 18 AM 10:04

PHYLLIS GERLACH
JACKSON COUNTY, IOWA
RECORDER

See 6.

FILE NO. 02 0592
BOOK 1 PAGE 534

02 FEB -1 PM 2:43

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

Fee 6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF

Land Survey Monuments situated in Section 19, Township 87 North, Range 3 East, of the Fifth Principal Meridian, Jackson County, Iowa.
Previously recorded in Book 1, Page 384 in County Recorder's Office.
(book, page, document number, etc.)



(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: FOUND STANDARD CONCRETE MONUMENT (SCM) WITH BRASS CAP 10" BELOW GRADE AT THE WEST 1/4 CORNER OF SECTION 19 T87N R3E


PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

FOUND SCM BURIED 10" BELOW GRADE AT THE WEST 1/4 CORNER OF SECTION 19 T87N, R2E



ALL TIES ARE GOOD
NAILS IN TOP OF WOOD
FENCE POSTS.



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.
Paul C. Brashaw 1-31-2002
PAUL C. BRASHAW (DATE)
LICENSE NUMBER 10134
MY LICENSE RENEWAL DATE IS DECEMBER 31, 2002

List Corners to be Indexed
Corners Section Top Range
114 19 87N 3E

MONUMENT RECORD
COUNTY: JACKSON
TOWNSHIP: PRAIRIE SPRINGS

DATE PLOTTED: FIELD BOOK # DRAWING
DATE REVISED: PAGE #

S-9-C-3-See Corner Certificate 7-6-7-63-2839 in Book 2 Page 161

02.0593

FILE NO. 87
BOOK 1 PAGE 535

02 FEB -1 PM 2:43

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

Fee \$6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94


UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE
OFLand Survey Monuments situated in Section 19, Township 87 North Range 3 East, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in NO corner certificate in County Recorder's Office.
(book, page, document number, etc.) File

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: Found STANDARD Concrete Monument (SCM) with Brass cap FLUSH with Ground at Fence Intersection at the Southwest Corner of Section 19 T87N, R3E

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 1-31-2002
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2002

List Corners to be Indexed

Corners	Section	Twp	Range
SW	19	87N	3E

MONUMENT RECORD
COUNTY: JACKSON
TOWNSHIP: 87N

FILE NO 03-2839
PAGE 2 PAGE 16

03 MAY -9 AM 11:14

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER *file 6*

PREPARED BY: MICHAEL J. WEBER, BUESING & ASSOCIATES, 1212 LOCUST STREET, DUBUQUE, IOWA, 52001. PH: (563) 556-4389

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF

LAND SURVEY MONUMENTS SITUATED IN SECTION 19, TOWNSHIP 87 NORTH, RANGE 3 EAST
OF THE FIFTH PRINCIPAL MERIDIAN, JACKSON COUNTY, IOWA.
PREVIOUSLY RECORDED IN BK 1, PG 384 & BK 1, PG 534 IN COUNTY RECORDER'S OFFICE.
(book, page, document number, etc.)



(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks:

- * NW COR. SEC. 19, T87N R3E FOUND 5/8" STEEL ROD WITH CAP NO. 7983 12" BELOW GRAVEL SURFACE,
- * W 1/4 COR SEC. 19 T87N, R3E FOUND CONCRETE MONUMENT TOP OF MONUMENT 6" +/- BELOW SURFACE, SET BY DUBUQUE COUNTY SEPT. 10, 1942 ? PER TIE SHEET
- * SW COR SEC. 19 T87N, R3E FOUND CONCRETE MONUMENT TOP OF MONUMENT FLUSH WITH SURFACE, SET BY DUBUQUE COUNTY SEPT. 10, 1942 PER TIE SHEET

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Michael J. Weber 6/15/2003
MICHAEL J. WEBER DATE
LICENSE NUMBER 15084
MY LICENSE RENEWAL DATE IS DECEMBER 31, 2003

List Corners to be Indexed			
Corners	Section	Twp	Range
NW COR.	19	87N	3E
W 1/4	19	87N	3E
SW COR.	19	87N	3E

BUESING & ASSOCIATES
CONSULTING ENGINEERS
1212 LOCUST STREET
DUBUQUE, IOWA 52001
(563) 556-4389

MONUMENT RECORD
COUNTY: JACKSON
TOWNSHIP: PRAIRIE SPRINGS T87N R3E

FIELD BOOK # 163
PAGE #

DRAWING NO.
02257-SEC-TIE



Document 07-463

Book 2 Page 524 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE



OF

Land Survey Monuments situated in Section 19, Township 87 NORTH, Range 3 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NW CORNER OF THE NE 1/4 OF THE SW 1/4 OF SECTION 19, T 87 N, R 3 E, SET 518" X 36" IRON ROD WITH ORANGE CAP NO. 10134. CORNER ESTABLISHED USING NORTH LINE AS SHOWN ON RIGHT-OF-WAY ACQUISITION PLAT TO THE WEST AND NORTH INTERSECTION OF EXISTING FENCE
PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

PLAT OF SURVEY OF PARCEL "C"
RECORDED IN BOOK 1-P PAGE 117

I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

PAUL C. BRASHAW

LICENSE NUMBER

10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

List Corners to be Indexed
Corners Section Top RangeNW COR 19 87N 3E
NE 1/4
SW 1/4

MONUMENT RECORD		
COUNTY: JACKSON		
TOWNSHIP: PRAIRIE SPRINGS		
DATE PLOTTED:	FIELD BOOK #	DRAWING #
DATE REVISED:	PAGE #	

Book 2 Page 524



Document 07-464

Book 2 Page 525 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 19, Township 87 NORTH, Range 3 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO. 10134 AT THE NE CORNER OF THE SW 1/4 OF SECTION 19, T87N, R3E.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

List Corners to be Indexed
Corners Section Top Range
NE COR 19 87N 3E
SW 1/4

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>PRAIRIE SPRINGS</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	#

Book 2 Page 525



Document 07-465

Book 2 Page 526 Type 15 001 Pages 1
Date 2/02/2007 Time 2:04 PM
Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE



OF

Land Survey Monuments situated in Section 19, Township 87 North, Range 3 East, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SE CORNER OF THE NE 1/4 OF THE SW 1/4 OF SECTION 19, T87N, R3E. SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO 10134 SET ON LINE AND EQUAL DISTANT BETWEEN THE SOUTH 1/4 CORNER AND NE CORNER OF THE SW 1/4 OF SECTION 30. NO OTHER EVIDENCE COULD BE
PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.) FOUND



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw Feb 2, 2007
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

Corners	List	Corners to be Indexed	Section	Range
SE COR	19	87N	3E	
NE 1/4				
SW 1/4				

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>PRAIRIE SPRINGS</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	#

Book 2 Page 526



Document 07-466

Book 2 Page 527 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 19, Township 87 NORTH Range
3 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SW CORNER OF THE NE 1/4 OF THE
SW 1/4 OF SECTION 19, T87N, R3E. SET 5/8" x 30"
IRON ROD WITH ORANGE CAP NO. 10134. CORNER SET ON
EXISTING FENCE LINE EQUAL DISTANCE BETWEEN NORTH

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

I HEREBY CERTIFY THAT THIS LAND SURVEYING
DOCUMENT WAS PREPARED AND THE RELATED
SURVEY WORK WAS PERFORMED BY ME OR UNDER MY
DIRECT PERSONAL SUPERVISION AND THAT I AM A
DULY LICENSED LAND SURVEYOR UNDER THE LAWS
OF THE STATE OF IOWA.

PAUL C. BRASHAW

(DATE)

LICENSE NUMBER

10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

Corners	List	Corners to be Indexed	Section	Range
SW COR	19	87N	3E	
NE 1/4				
SW 1/4				

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>PRAIRIE SPRINGS</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING #
DATE REVISED:	PAGE #	

Book 2 Page 527