

FILE NO. 03-1916
BOOK 2 PAGE 54

03 APR -3 AM 7:30

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER # 16.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF

Land Survey Monuments situated in Section 8, Township 86 North, Range 3 East, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)



(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: CENTER OF SECTION 8, T86N, R3E
SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO. 10134.
ESTABLISHED ON LINE BETWEEN THE EAST AND WEST
1/4 CORNERS, AND ON LINE BETWEEN THE SOUTH 1/4 CORNER
AND EXISTING FENCE LINE. NO OTHER EVIDENCE COULD BE
FOUND.

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)


PLAN - VIEW

ALL TIES ARE 60D
NAILS IN TOP OF
WOOD FENCE POSTS



SOUTH 1/4 CORNER OF
8, T86N R3E
X 36" IRON ROD WITH
CAP NO. 10134

SECTION
SET 5/8"
ORANGE



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

List Corners to be Indexed
Corners Section Tap Range
CENTER 8 86N 3E

MONUMENT RECORD
COUNTY: JACKSON
TOWNSHIP: RICHMOND

DATE PLOTTED:
DATE REVISED:

FIELD BOOK #
PAGE #

DRAWING
#

FILE NO 03-1917
BOOK 2 PAGE 55

03 APR -3 AM 7:30

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER # 6
Fee 6.

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE


OF

Land Survey Monuments situated in Section 8, Township 86 North, Range 3 East, of the Fifth Principal Meridian, Jackson County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)


(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NE CORNER OF THE NW 1/4 OF THE SE 1/4 OF SECTION 8, T86N, R3E. SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO. 10134. ESTABLISHED ON LINE AND EQUAL DISTANCE BETWEEN THE EAST 1/4 CORNER AND THE CENTER OF SECTION 8. NO OTHER EVIDENCE COULD BE FOUND.

PLAN - VIEW
(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



ALL TIES ARE
600 NAILS IN
TOP OF WOOD
FENCE POSTS



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

PAUL C. BRASHAW

LICENSE NUMBER

10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corners	List Corners to be Indexed	Section	Top	Range
NE Corner	8	86N		3E
NW 1/4				
SE 1/4				

MONUMENT RECORD

COUNTY: JACKSON

TOWNSHIP: RICHLAND

DATE PLOTTED:
DATE REVISED:

FIELD BOOK #
PAGE #

DRAWING

FILE NO. 03-1918
BOOK 2 PAGE 56

03 APR -3 AM 7:30

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

Fee \$6.⁰⁰

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF


Land Survey Monuments situated in Section 8, Township 86 North, Range 3 East, of the Fifth Principal Meridian, Jackson County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SE CORNER OF SECTION 8, T86N R3E
FOUND 1" IRON PIPE. ESTABLISHED AS SHOWN ON PLAT
RECORDED IN BOOK 1-D PAGE 99

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



SE CORNER OF SECTION 8
T86N R3E, FOUND 1" IRON
PIPE (NO CAP)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corners	List Corners to be Indexed	Section	Top	Range
SE Corner		8	86N	3E

MONUMENT RECORD

COUNTY: JACKSON
TOWNSHIP: RICHLAND

DATE PLOTTED:
DATE REVISED:

FIELD BOOK #
PAGE #

DRAWING #

FILE NO. 03-1919
BOOK 2 PAGE 57

03 APR -3 AM 7:30

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER # 6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 8, Township 86 NORTH, Range 3 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)



Monument Description and Remarks: EAST 1/4 CORNER OF SECTION 8, T86 N R3E. SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO. 10134 BURIED 18" BELOW GRADE. ESTABLISHED BY THE WESTERLY EXTENSION OF LINE THROUGH CENTER FENCE CORNER AND 1/4 1/4 FENCE CORNER IN SECTION 9, DISTANCE ESTABLISHED BY DOUBLING DISTANCE PLAN - VIEW BETWEEN SAME TWO POINTS
(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

NO OTHER EVIDENCE
COULD BE FOUND

ALL TIES ARE GOOD NAILS
IN TOP OF WOOD FENCE
POST



EAST 1/4 CORNER
OF
SECTION 8, T86 N
R3E
SET 5/8" X 36" IRON
ROD
WITH ORANGE CAP
NO. 10134
BURIED 18" BELOW GRADE.



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 3/31/2003
(DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

List Corners to be Indexed
Corners Section Top Range
EAST 8 86N 3E
1/4
Corner

MONUMENT RECORD
COUNTY: JACKSON
TOWNSHIP: RICHLAND

DATE PLOTTED:
DATE REVISED:

FIELD BOOK #
PAGE #

DRAWING #

FILE NO. 03-1920
BOOK 2 PAGE 58

03 APR -3 AM 7:30

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER 16.00
Fee 6.

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF



Land Survey Monuments situated in Section 8, Township 86 North, Range 3 East, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SW CORNER OF THE NW 1/4 OF THE SE 1/4 OF SECTION 8, T86N, R3E. ESTABLISHED ON LINE AND EQUAL DISTANCE BETWEEN THE SOUTH AND CENTER SECTION CORNER. NO OTHER EVIDENCE COULD BE FOUND.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

List Corners to be Indexed
Section Top Range
SW Corner, 8 86N 3E
NW 1/4,
SE 1/4

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>RICHLAND</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	#

FILE NO. 03-1921
BOOK 2 PAGE 59

03 APR -3 AM 7:30

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

Fee 6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF


Land Survey Monuments situated in Section 8, Township 86 North, Range 3 East, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: WEST 1/4 CORNER OF SECTION 8, T86N R3E. SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO. 10134 ESTABLISHED BY THE ACCEPTED NORTH-SOUTH CENTERLINE ROAD INTERSECTION WITH EAST-WEST FENCE LINE. NO OTHER EVIDENCE COULD BE FOUND.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corners List
Section 8
Range 3E
Township 86N
Range 3E

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>RICHLAND</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	

FILE NO. 03-1922
BOOK 2 PAGE 60

03 APR -3 AM 7:30

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER # 11

rec'd 6. -

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF

Land Survey Monuments situated in Section 8, Township 86 NORTH, Range 3 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ In County Recorder's Office.
(book, page, document number, etc.)




(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SOUTH 1/4 CORNER OF SECTION 8, T86N, R3E. SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO. 10134 BURIED 17" BELOW GRADE. ESTABLISHED ON LINE AND EQUAL DISTANCE BETWEEN THE SE AND SW SECTION CORNERS. NO OTHER EVIDENCE COULD BE FOUND.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

SOUTH 1/4 CORNER OF SECTION 8
T86N, R3E. SET 5/8" X 36"
IRON ROD WITH ORANGE CAP NO
10134 BURIED 17" BELOW GRADE



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.
Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)
LICENSE NUMBER 10134
MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

List Corners to be Indexed
Corners Section Top Range
S 1/4 8 86N 3E
corner

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>RICHLAND</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	#

FILE NO. 03-1923
PAGE 61

03 APR -3 AM 7:30

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER 8.00
Fee 6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF


Land Survey Monuments situated in Section 8, Township 86 North, Range 3 East, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SW CORNER OF SECTION 8, T86N, R3E
SET 5 1/8" X 36" IRON ROD WITH ORANGE CAP NO. 10134.
ESTABLISHED OF LINE FROM WEST 1/4 CORNER SOUTH THROUGH
114'14" & E INTERSECTION AND DOUBLING DISTANCE BETWEEN
THE SAME 2 CORNERS NO OTHER EVIDENCE COULD BE
FOUND.

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

PLAN - VIEW



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 3/31/2004
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corners	List	Corners to be Indexed	Section	Top	Range
SW Corner		8	86N	3E	

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>RICHMOND</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING #
DATE REVISED:	PAGE #	

FILE NO 03-1924
BOOK 2 PAGE 62

03 APR -3 AM 7:30

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER ad
Fee 6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 8, Township 86 NORTH, Range 3 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SW CORNER OF THE NW 1/4 OF THE SW 1/4 OF SECTION 8, T86N, R3E, SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO. 10134, ESTABLISHED BY THE ACCEPTED CENTERLINE ROAD INTERSECTION AND 1/4" 1/4 FENCE LINE TO THE WEST. NO OTHER EVIDENCE COULD BE FOUND.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corners List Corners to be Indexed
Section Top Range
SW corner, 8 86N 3E
NW 1/4
SW 1/4

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>RICHLAND</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	

FILE NO. 03-1925
BOOK 2 PAGE 63

03 APR -3 AM 7:30

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER 9.00
Fee 6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

SLSI 9-94

OF


Land Survey Monuments situated in Section 8, Township 86 NORTH, Range 3 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SE CORNER OF THE NW 1/4 OF THE SE 1/4 OF SECTION 8, T86N, R3E. SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO. 10134. ESTABLISHED ON LINE AND EQUAL DISTANCE BETWEEN OPPOSITE 1/4 1/4 CORNERS AS PER SECTION BREAKDOWN OF DISTANCES.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.
Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)
LICENSE NUMBER 10134
MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corners	List Corners to be Indexed	Section	Top	Range
SE corner	8	86N	3 E	
NW 1/4				
SE 1/4				

MONUMENT RECORD	
COUNTY: <u>JACKSON</u>	
TOWNSHIP: <u>RICHLAND</u>	
DATE PLOTTED:	FIELD BOOK #
DATE REVISED:	PAGE #
	DRAWING #