





Note: Corners No. 1, 2, & 3 are described & referenced in a previous survey by G.R. Elliott in June, 1939 ~ See Plat Filed in Jackson County Auditor's Office
 Corner No. 16 is a Standard Conc. Mt. Set by U.S. Corps of Engrs.



LAND CORNER SURVEY FOR IOWA HIGHWAY COMMISSION JACKSON COUNTY T-84-N R-6-E ROAD NO. 64 PROJ. F.A. 470

JUNE 1940. BY J.A. WYMORE R.L.S. NO. 1708



UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF




LAND SURVEY MONUMENTS SITUATED IN SECTION 19, TOWNSHIP 84, RANGE 7E, OF THE 5TH PRINCIPAL MERIDIAN JACKSON COUNTY IOWA.
PREVIOUSLY RECORDED IN DOES NOT APPLY IN COUNTY RECORDER'S OFFICE.

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

MONUMENT DESCRIPTION AND REMARKS: RE-REFERENCED CORNERS FOR R.O.W. ACQUISITIONS

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



FILE NO. 0022
BOOK 1 PAGE 46

1991 JUL -2 AM 8:24

SHIRLEY RITENOUR
JACKSON COUNTY, IOWA
RECORDER
Jul 5.00

I hereby certify that the survey work was completed and this certificate was prepared by me or under my direct personal supervision and that I am a duly registered land surveyor under the laws of the state of Iowa.

Signature: *Dennis R. Kunze*
DENNIS R. KUNZE

Date: 7-1-1991 Reg. No. 10679



LAND CORNERS TO BE RECORDED

Corners	Section	Twp.	Range
W ¹ / ₄	19	T-84-N	R-7-E
CENTER	19	T-84-N	R-7-E

BOOK 1 PAGE 46

Book 2016 Page 815 Type 15 001 Pages 1
Date 3/15/2016 Time 10:46 AM
Reo Amt \$7.00



Prepared by: SCHNEIDER Land Surveying and Planning, Inc. P.O. Box 128 Farley, Iowa 52046 563-744-3631

Land Survey Monuments situated in Section 19, Township 84 North, Range 7 East
of the Fifth Principal Meridian, Jackson County, Iowa.

Previously recorded 81/4 CORNER - BOOK 1, PAGE 292

Monument Description and Remarks: THE NW CORNER OF THE SE1/4 OF THE SW1/4, OF SEC.19, T84N, R7E WAS ESTABLISHED AT THE THEORETICAL CENTER OF THE SOUTHWEST QUARTER OF SAID SECTION 19. THE NE CORNER OF THE SE1/4 OF THE SW1/4, OF SEC.19, T84N, R7E WAS ESTABLISHED AT THE MIDPOINT BETWEEN THE CENTER AND S1/4 CORNER OF SAID SECTION 19. THE S1/4 CORNER OF SEC.19, T84N, R7E WAS ESTABLISHED USING OCCUPATION EVIDENCE LOCATED NORTH EAST AND WEST OF THE CORNER. UNABLE TO MAKE 6/8" REBAR WITH CAP #7983 FIT WITH U.S.ARMAY CORPS OF ENGINEER'S SURVEY AND THE PLAT OF DOMINY'S ADDITION. THE SW CORNER OF SEC.19, T84N, R7E WAS ESTABLISHED AS ILLUSTRATED ON IOWA HIGHWAY COMMISSION ASSUPLY PLANS FOR U.S. HIGHWAY #67 DATED MARCH 26, 1942.

NE CORNER
SE1/4, SW1/4,
SEC. 19, T84N, R7E
SET 1/2" REBAR W/
YELLOW CAP #14417



SW CORNER
SEC. 19, T84N, R7E
SET 1/2" REBAR W/
YELLOW CAP #14417

R.O.W.
RAIL

FOUND 5/8"	SET 60d	SET 60d	
REBAR w/	NAIL IN	NAIL IN	SET 60d
CAP #7983	CLIP OF	CLIP OF	ON TOP
	T-POST	T-POST	OF POST

S1/4 CORNER▲
SEC. 19, T84N, R7E
SET 1/2" REBAR W/
YELLOW CAP #14417

I hereby certify that this land surveying document was prepared and the related survey work was performed by me or under my direct personal supervision and that I am a duly licensed Land Surveyor under the laws of the State of Iowa.

David P. Schneider P.L.S. #14417 Date:
by license renewal date is December 31, 2017.

Pages or sheets covered by this seal: THIS SHEET ONLY

Corner	Section	Twp	Range
NW CORNER SE1/4, SW1/4	19	84N	7E
NE CORNER SE1/4, SW1/4	19	84N	7E
S1/4 CORNER	19	84N	7E
SW CORNER	19	84N	7E

SCHNEIDER
Land Surveying & Planning, Inc.

P.O. Box 128 Farley, Iowa 52046
Ph. #563-744-3631 Fax#563-744-3629



JOB NO. 1819REVISED SKETCH