



Sec. 28

LAND CORNER SURVEY
JACKSON CO T84N R5 and 6E
MADE FOR THE
IOWA STATE HIGHWAY COMMISSION
FOR ROW DESCRIPTIONS PRIMARY 64 PROJECT FA 170-C
BY G. R. ELLIOTT R.L.S. 1841
JUNE 1939




1 W 1/4 cor 28-84-5E




Found corner established by this Party
1938 8"x14"x18" lime
or 1"x21" iron Pin

2 SW cor 28-84-5E



This corner was found
by this Party in 1938
5"x13"x18" limestone &
iron Pin over iron Pin

3 center 28-84-5E



Found 4" x 11" x 15"
limestone Added 1/2" x
23" iron Pipe under

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF

LAND SURVEY MONUMENTS SITUATED IN SECTION 28, TOWNSHIP 84 NORTH, RANGE 5 EAST
OF THE FIFTH PRINCIPAL MERIDIAN, JACKSON COUNTY, IOWA.
PREVIOUSLY RECORDED IN _____ IN COUNTY RECORDER'S OFFICE.

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)


Monument Description and Remarks: _____

S 1/4 CORNER, SECTION 28, T84N, R5E - FOUND IRON ROD

SE CORNER, SECTION 28, T84N, R5E - FOUND IRON ROD

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)




FILE NO **000514**
PAGE 215

1994 AUG 30 AM 9:42

SHIRLY RITENOUR
JACKSON COUNTY, IOWA
RECORDER

Jul 6⁰⁰



I HEREBY CERTIFY THAT THE SURVEY WORK WAS COMPLETED AND THIS CERTIFICATE WAS PREPARED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY REGISTERED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

John M. Tranmer
TRANMER REG. NO. 12631
DATE 8/24/94
MY REGISTRATION EXPIRES DECEMBER 31, 1994

LIST CORNERS TO BE INDEXED

CORNERS	SECTION	TWP	RANGE
S 1/4 CORNER	28	T84N	R5E
SE CORNER	28	T84N	R5E



ENGINEERS AND
SURVEYORS P.C.

Iowa, Illinois, Wisconsin
4155 Pennsylvania Ave.
Dubuque, Ia. 52002
Cullbertson, IA

MONUMENT RECORD

COUNTY: JACKSON
TOWNSHIP: VAN BUREN

4-3-03 See Corner Certificate in Back of Page 83 as file # 03-1966

FILE NO. 00-0539
BOOK 1 PAGE 418
00 FEB 18 AM 10:06

IOW ENGINEERS & SURVEYORS, P.C. 4155 PENNSYLVANIA AVE, DUBUQUE, IOWA, 52002

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF

Fee \$6.00

LAND SURVEY MONUMENTS SITUATED IN SECTION 28, TOWNSHIP 84 NORTH, RANGE 5 EAST
OF THE FIFTH PRINCIPAL MERIDIAN, JACKSON COUNTY, IOWA.
PREVIOUSLY RECORDED IN _____ IN COUNTY RECORDER'S OFFICE.

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)




Monument Description and Remarks:

SE CORNER OF THE NW 1/4, SW 1/4 OF SECTION 28, T84N R5E; SET "X" CUT IN CONC. PAVEMENT


ESTABLISHED FROM SECTION BREAKDOWN OF SW 1/4 OF SEC. 28, T84N, R5E

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



NO SCALE



I HEREBY CERTIFY THAT THE SURVEY WORK WAS COMPLETED AND THIS CERTIFICATE WAS PREPARED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY REGISTERED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

John M. Tranmer
JOHN M. TRANMER REG. NO. 12631

DATE: 2-17-00
MY REGISTRATION EXPIRES DECEMBER 31, 2000

LIST CORNERS TO BE INDEXED

CORNERS	SECTION	TWP	RANGE
SE COR, NW 1/4, SW 1/4	28	T84N	R5E



Iowa, Illinois, Wisconsin

ENGINEERS AND
SURVEYORS P.C.

4155 Pennsylvania Ave.
Dubuque, Ia. 52002
(319) 556-2464

Guttenberg, IA
Galena, IL
Cuba City, WI

MONUMENT RECORD

COUNTY: JACKSON
TOWNSHIP: VAN BUREN

DATE: 2-1-00
REVISED:

FIELD
BOOK NO. 370

PROJ.
NO. 88005-02

INDEX
NO.

FILE NO. 03-1964
BOOK 2 PAGE 81

03 APR -3 PM 1:54

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

Fee \$6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1772

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF


Land Survey Monuments situated in Section 28, Township 84 North, Range 8 East, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in Book 1, Page 448 in County Recorder's Office.

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: FOUND CHISELED "X" IN CONCRETE PAVEMENT AT THE NE CORNER OF THE SW 1/4 OF THE SW 1/4 OF SECTION 28, AS SHOWN ON PLAT RECORDED IN BOOK 1-PAGE 2 ESTABLISHED AS CORNER.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



NE CORNER OF THE SW 1/4 OF THE SW 1/4 OF SECTION 28, T84N, R8E. FOUND CHISELED "X" IN CONCRETE PAVEMENT



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.
Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)
LICENSE NUMBER 10134
MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corners List Corners to be Indexed
Section 28 Range 8
NE CORNER 28 84th SE
SW 1/4, SW 1/4

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>84th N</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	

Fee \$6.00

SLSI 9-94



Land Survey Monuments situated in Section 28
S. E. 34 1/2, of the Fifth Principal Meridian, Township 84 North, Range
Previously recorded in - Book 1, Page 215, Jackson County, Iowa.
(book, page, document number, etc.) in County Recorder's Office.

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SW CORNER OF SECTION 26, T84N
R5E, FOUND 1/2" IRON ROD AS SHOWN ON PLAT RECORDED
IN BOOK 1-K; PAGE 2. ESTABLISHED AS CORNER

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Draspan 3/31/2003
PAUL C. DRASPAN (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corners List Corners to be Indexed
 Section Top Range
 SW 28 84 H 50
 Corners

	MONUMENT RECORD		
	COUNTY: <u>JACKSON</u>		
	TOWNSHIP: <u>VAH. BUREH</u>		
	DATE PLOTTED:	FIELD BOOK #	DRAWING
	DATE REVISED:	PAGE #	

FILE NO. 03-1967
BOOK 2 PAGE 84

03 APR -3 PM 1:54

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

Feb 6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF

Land Survey Monuments situated in Section 28, Township 84 NORTH Range
5 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)


(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SE CORNER OF THE SW 1/4 OF THE SW
1/4 OF SECTION 28, T84N, R56, SET PER MAIL IN
SEALCOTT ROAD ON LINE AND EQUAL DISTANCE BETWEEN
THE S 1/4 AND THE SW CORNERS OF SECTION 28, NO
CERTIFICATE ON FILE

CERTIFICATE ON FILE

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

SET GOD NALL IN POWER
POLE



SCHOOL
STREET


SET PK NAIL
IN SEALCOAT
SURFACE

SE CORNER OF THE
SW 1/4 OF THE SW 1/4
OF SECTION 28

FENCE

T84 H, R5E

GOD NAIL IN TOP OF
WOOD POST



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brasian 3/31/2003
(DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corner	List	Corner to be Indexed	Section	Top	Range
2 corner		28		84M	5E
W 1/4 SW 1/4					

MONUMENT RECORD

COUNTY: JACKSON
TOWNSHIP: YAM BUREN

DATE PLOTTED:
DATE REVISED:

FIELD BOOK #
PAGE

DRAWING

FILE NO. 03-2011
BOOK 2 PAGE 127

03 APR -4 AM 6:09

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

Fee 6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 28, Township 84 NORTH, Range S 6 R 3 E, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SOUTH 1/4 CORNER OF SECTION 28, T84N R5E. NO CERTIFICATE ON FILE FOUND 5/8" IRON ROD ACCEPTED AS CORNER BASED ON USAGE OF SURVEY PLAT RECORDED IN BOOK 1-H, PAGE 2 ESTABLISHED AS CORNER.

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

PLAN - VIEW



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Paul C. Brashaw 3/31/2003
PAUL C. BRASHAW (DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

Corner	List	Section	to be Indexed	Range
South 1/4 corner		28	84N R5E	

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>VAN BUREN</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE	

BOOK 2 PAGE 293

04 JUN 25 AM 7:11

IIV ENGINEERS & SURVEYORS, P.C. 4155 PENNSYLVANIA AVE. DUBUQUE, IOWA.

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA

~~RECORDED~~

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF



LAND SURVEY MONUMENTS SITUATED IN SECTION 28, TOWNSHIP 84 NORTH, RANGE 5 EAST
OF THE FIFTH PRINCIPAL MERIDIAN, JACKSON COUNTY, IOWA.
PREVIOUSLY RECORDED IN N/A IN COUNTY RECORDER'S OFFICE.

MONUMENT DESCRIPTION AND REMARKS:

SOUTHEAST CORNER OF THE NORTHEAST 1/4 OF THE SOUTHWEST 1/4, SECTION 9, T84N, R5E


FOUND 5/8" IRON ROD IN CONCRETE

PLAN - VIEW



LEGEND

- | | |
|---|--|
|  | FENCE LINE, FENCE POST |
|  | FOUND LAND CORNER
MONUMENT AS NOTED |
|  | FOUND MONUMENT AS NOTED |
|  | UTILITY POLE |



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

FOR RW ENGINEERS AND SURVEYORS, P.C.

JOHN M. TRANMER

MY LICENSE RENEWAL DATE IS 12/31/2004

LIST CORNERS TO BE INDEXED

CORNERS	SECTION	TWP	RANGE
SE COR. NE1/4, SW1/4	28	T84N	R5E



IIW ENGINEERS &
SURVEYORS, P.C.

DUBUQUE, IOWA HAZEL GREEN, WISCONSIN
4155 PENNSYLVANIA AVE. DUBUQUE, IA 52002 (563) 556-2464

MONUMENT RECORD

COUNTY: JACKSON

TOWNSHIP: VAN BUREN

DATE: 02
REVISED:

FIELD
BOOK NO.

PROJ.	NO. 02
-------	--------

INDEX
NO.

Document 09-178
Book 2 Page 647 Type 15 001 Pages 1
Date 1/16/2009 Time 11:15 AM
Rec Amt \$7.00

ARLENE SCHAUF, RECORDER/REGISTRAR
JACKSON COUNTY IOWA

Prepared by: SCHNEIDER Land Surveying and Planning, Inc. P.O. Box 128 Farley, Iowa 52046 563-744-3631

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF

Land Survey Monuments situated in Section 28, Township 84 North, Range 5 East
of the Fifth Principal Meridian, Jackson County, Iowa.

Previously recorded (NONE OF RECORD)


(BOOK, PAGE / TWP. NO. / CORNER, R.106)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: THE SW CORNER OF THE SE1/4 OF THE SE1/4 OF SECTION 28, T84N, R5E
WAS ESTABLISHED ON LINE BETWEEN THE S1/4 CORNER AND THE SE CORNER OF SECTION 28 AS SHOWN ON PREVIOUS SURVEYS.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I hereby certify that this land surveying document was prepared and the related survey work was performed by me or under my direct personal supervision and that I am a duly licensed Land Surveyor under the laws of the State of Iowa.

David P. Schneider 1/12/2009
David P. Schneider P.L.S. #14417 Date:
My license renewal date is December 31, 2009.

Pages or sheets covered by this seal: THIS SHEET ONLY

SCHNEIDER
Land Surveying & Planning, Inc.
P.O. Box 128 Farley, Iowa 52046
Ph. #563-744-3631 Fax#563-744-3629



List Corners to be Indexed

Corners	Section	Twp	Range
SW CORNER SE1/4, SE1/4	28	84N	5E

Book 2 Page 647

JOB NO. 1113



Document 16-335

Book 2016 Page 335 Type 15 001 Pages 1
Date 2/03/2016 Time 8:49 AM
Rec Amt \$7.00

ARLENE SCHAUF, RECORDER/REGISTRAR
JACKSON COUNTY IOWA

PREPARED BY: MICHAEL J. WEBER, WEBER SURVEYING, LLC, 26789 46TH AVE, BERNARD, IA 52032 (563) 879-4173

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF

LAND SURVEY MONUMENTS SITUATED IN SECTION 28, TOWNSHIP 84 NORTH, RANGE 5 EAST
OF THE FIFTH PRINCIPAL MERIDIAN, JACKSON COUNTY, IOWA.
PREVIOUSLY RECORDED BOOK 1, PAGE 215 & BOOK 2, PAGE 127

(book, page, document number, etc)


(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks:


-SOUTH 1/4 CORNER, SEC. 28, T.84N, R.5E, OF THE 5TH P.M. FOUND 1/2" STEEL ROD W/YELLOW PLASTIC CAP NO. 12642, PREVIOUSLY RECORDED IN BOOK 1, PAGE 215 & BOOK 2, PAGE 127. PREVIOUS MONUMENT REMOVED DURING ROAD CONSTRUCTION. ESTABLISHED NEW TIES.

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

PLAN - VIEW



DWG. NO. 15044

	I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA. <i>Michael J. Weber</i> MICHAEL J. WEBER (DATE) <i>January 18, 2016</i> LICENSE NUMBER 15084 MY LICENSE RENEWAL DATE IS DECEMBER 31, 2017	List Corners to be Indexed Corner Sec Twp Range SOUTH 1/4 COR. 28 84N 5E
	SHEETS COVERED BY THIS SEAL: THIS SHEET	



Document 17-1725

Book 2017 Page 1725 Type 15 001 Pages 1
Date 5/22/2017 Time 8:50 AM
Rec Amt \$7.00

ARLENE SCHAUF, RECORDER/REGISTRAR
JACKSON COUNTY IOWA

PREPARED BY: MICHAEL J. WEBER, WEBER SURVEYING, LLC, 26789 46TH AVE, BERNARD, IA 52032 (563) 879-4173

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF

LAND SURVEY MONUMENTS SITUATED IN SECTION 28, TOWNSHIP 84 NORTH, RANGE 5 EAST
OF THE FIFTH PRINCIPAL MERIDIAN, JACKSON COUNTY, IOWA.
PREVIOUSLY RECORDED NONE UNLESS OTHERWISE NOTED

(book, page, document number, etc)


(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks:


-NE Corner of the Sec. 28, found 1/2" Dia. rerod. Previously recorded in book 1 page 377, Doc. No. 99-0783. Established new ties.
-East 1/4 Cor., Sec. 28, found 1/2" Dia. rerod. Previously recorded in book 1 page 376, Doc. No. 99-0782. Established new ties.
-NW Cor. SE 1/4 of the NE 1/4 Sec. 28, placed 5/8" Dia. rerod w/orange cap marked 'WEBER PLS 15084'. Established corner at the center of the NE 1/4 by breakdown of the Section
-SW Cor. SE 1/4 of the NE 1/4 Sec. 28, placed 5/8" Dia. rerod w/orange cap marked 'WEBER PLS 15084'. Established corner midway and online between the calculated Center of Section 28 and the East 1/4 Corner of Section 28.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



DWG. NO. 17022



I HEREBY CERTIFY THAT THIS LAND SURVEYING DOCUMENT WAS
PREPARED AND THE RELATED SURVEY WORK WAS PERFORMED BY ME OR
UNDER MY DIRECT PERSONAL SUPERVISION AND THAT I AM A DULY
LICENSED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF IOWA.

Michael J. Weber *April 27, 2017*
MICHAEL J. WEBER (DATE)
LICENSE NUMBER 15084

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2017

SHEETS COVERED BY THIS SEAL: *This sheet*

List Corners to be Indexed

Corner	Sec	Twp	Range
NE COR.	28	84N	5E
EAST 1/4 COR.	28	84N	5E
SW Cor., SE-NE	28	84N	5E
NW Cor., SE-NE	28	84N	5E



Document 24-3157

Type 15 001

Pages 1

Date 11/20/2024 Time 12:49 PM

Rec Amt \$7.00

PREPARED BY:
WILLIAM HOLT, PLS
NORWEST SURVEYING SERVICES, INC.
301 E LINCOLNWAY
MORRISON, IL 61270

ARLENE SCHAUF, RECORDER/REGISTRAR
JACKSON COUNTY IOWA



UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF

Land Survey Monuments in Section 28 in Township 84 North (T84N), Range 5 East (R5E)
of the Fifth Principal Meridian (5th PM), Jackson County, Iowa. (Not Previously Recorded)

A Monument was placed at the Northeast corner of the Northwest Quarter (NW 1/4) of the Northeast Quarter (NE 1/4) of Section 28 per the description below

The corner location was established at a prorata location using existing monuments, fences and occupation lines within this and adjoining Sections.


PLAN VIEW



Project No. 2024237

I hereby certify that the survey work was completed
and this land surveying document was prepared by
me or under my direct personal supervision and
that I am a duly registered land surveyor under the
laws of the State of Iowa.

Signature: William E. Holt
William E. Holt
Iowa Registration No. 14105
My Registration Renews on December 31, 2024
Dated this 22nd day of October, 2024 C.E.



Corners to be Indexed

Corner	Section	Township	Range
NE Corner NW 1/4 NE 1/4	28	84N	5E