

FILE NO. 00.1267
BOOK PAGE 427
00 APR 21 AM 8:06
PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER
fee 6.00 SLSI 8-90

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF

Land Survey Monuments situated in Section 31, Township 85N, Range 6E EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in N/A, Page In County Recorder's Office.


(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SET 1/2" ROUND IRON ROD STAKE WITH YELLOW CAP FOR NE COR. OF SOUTH 1/2 OF SE 1/4 OF SEC. 31 PER DATA SHOWN BELOW - SEARCH AREA = 10' -

CERTIFICATE PREPARED TO ESTABLISH A RECORD FOR THE CORNER USED IN CONJUNCTION WITH A PLAT OF SURVEY MADE FOR ROBERT J. BRESNAHAN IN APRIL 2000

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I hereby certify that this land surveying document was prepared and the related survey work was performed by me or under my direct personal supervision and that I am a duly licensed land surveyor under the laws of the State of Iowa.

James F. Tallett Jr.

4-5-00

James F. Tallett Jr.,

Date

My license is subject to renewal on Dec. 31, 2001

License No. 4705

List Corners to be Indexed

Corners	Section	Twp	Range
NE COR. OF S 1/2 OF SE 1/4	31	85N	6E



Only those copies of this page signed in red color and displaying surveyors original

Seal are to be considered certified official copies. (Iowa Admin. Code 193C-1.30)

PREPARED BY
Landmark
ENGINEERING GROUP, INC.

FILE NO. 03-2010
BOOK 2 PAGE 126

03 APR -4 AM 6:09

PHYLLIS M. GERLACH
JACKSON COUNTY, IOWA
RECORDER

Fee 6.00

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 31, Township 85 NORTH, Range 6 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: SE CORNER OF THE SE 1/4 OF SECTION 31
T85N R6E, SET 5/8" X 36" IRON ROD WITH ORANGE CAP NO.
10134 BURIED 16" BELOW GRADE. ESTABLISHED BY EXTENSION
FROM EAST 1/4 CORNER (FOUND SCM) THROUGH 1/4 CORNER

ROD (FOUND ROD WITH CAP NO. 4705). DISTANCE ESTABLISHED
BY DOUBLING DISTANCE PLAN - VIEW THROUGH SAME TWO POINTS
(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

NO OTHER EVIDENCE
COULD BE FOUND.



CROPLAND ALL
AROUND

SE CORNER OF THE SE
1/4 OF SECTION 31, T85N,
R6E. SET 5/8" X 36"
IRON ROD WITH ORANGE
CAP NO. 10134 BURIED 16"
BELOW GRADE.



I HEREBY CERTIFY THAT THIS LAND SURVEYING
DOCUMENT WAS PREPARED AND THE RELATED
SURVEY WORK WAS PERFORMED BY ME OR UNDER MY
DIRECT PERSONAL SUPERVISION AND THAT I AM A
DULY LICENSED LAND SURVEYOR UNDER THE LAWS
OF THE STATE OF IOWA.

Paul C. Brashaw 3/31/2003
(DATE)

LICENSE NUMBER 10134


MY LICENSE RENEWAL DATE IS DECEMBER 31, 2004

List Corners to be Indexed
Corners Section Top Range
SE 31 85N 6E
corner

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>WASHINGTON</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	



Document 06-733

Book 2 Page 427 Type 06 023 Pages 1
Date 2/27/2006 Time 8:10 AM
Rec Amt \$7.00PHYLLIS M. GERLACH, RECORDER
JACKSON COUNTY IOWAUNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE
OF

SLSI 9-90


Land Survey Monuments situated in Section 31, Township 85 N, Range 6 E, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in N/A, in JACKSON County Recorder's Office.

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NW COR. OF NE 1/4 OF NE 1/4 SEC. 31, 1/2" ROUND IRON ROD STAKE FOUND ON CENTERLINE OF 20' WUDE GRAVEL ROADDED. SW COR. OF NE 1/4 OF NE 1/4 OF SEC. 31, 1/2" ROUND IRON ROD SET INLINE WITH AN ANCIENT FENCE EAST AND 1/2' WEST OF CENTERLINE OF 21' WIDE GRAVEL ROADDED NORTH & SOUTH, SEARCH AREA 10'.
PROJECT NO. 04-05-393

PLAN -- VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I hereby certify that this land surveying document was prepared and the related survey work was performed by me or under my direct personal supervision and that I am a duly licensed land surveyor under the laws of the State of Iowa.

Harry J. Goddard Date Sep 23, 2005My license is subject to renewal on Dec. 31, 2006
License No. 15524

Only those copies of this page signed in red color and displaying surveyors original

Seal are to be considered certified official copies. (Iowa Admin. Code 193C-1.30)

List Corners to be Indexed

Corners	Section	Twp	Range
NW COR OF NE 1/4 OF NE 1/4	31	85 N	6 E
SW COR OF NE 1/4 OF NE 1/4	31	85 N	6 E

Document 06-734

Book 2 Page 428 Type 06 023 Pages 1
Date 2/27/2006 Time 8:19 AM
Rec Amt \$7.00

PHYLLIS M. GERLACH, RECORDER
JACKSON COUNTY IOWA



PREPARED BY

Landmark 511 South 4th Street
Clinton, IA 52732
ENGINEERING GROUP, INC. (563) 243-1398

SLSI 9-90

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE
OF

Land Survey Monuments situated in Section 31, Township 85 N, Range 6 E, of the Fifth Principal Meridian, JACKSON County, Iowa.

Previously recorded in N/A, in JACKSON County Recorder's Office.


(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: S 1/4 COR. SEC. 31, 4" X 4" SQUARE CONC. MONU. FOUND, NO REFERENCE
AVAILABLE IN AREA .

PROJECT NO. 04-05-393

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)




I hereby certify that this land surveying document was prepared and the related survey work was performed by me or under my direct personal supervision and that I am a duly licensed land surveyor under the laws of the State of Iowa.

Harry J. Goddard

Date _____

My license is subject to renewal on Dec. 31, 2006
License No. 15524



Only those copies of this page
signed in red color and
displaying surveyors original

Seal are to be considered
certified official copies.
(Iowa Admin. Code 193C-1.30)

List Corners to be Indexed

Corners	Section	Twp	Range
S 1/4 COR	31	85 N	6 E

BOOK 2 Page 428



Document 07-452

Book 2 Page 513 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 31, Township 85 NORTH, Range
6 EAST, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: WEST 1/4 CORNER OF SECTION 31
T 85 N, R 6 E. SET 5/8" X 36" IRON ROD WITH ORANGE
CAP NO. 10134.

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

I HEREBY CERTIFY THAT THIS LAND SURVEYING
DOCUMENT WAS PREPARED AND THE RELATED
SURVEY WORK WAS PERFORMED BY ME OR UNDER MY
DIRECT PERSONAL SUPERVISION AND THAT I AM A
DULY LICENSED LAND SURVEYOR UNDER THE LAWS
OF THE STATE OF IOWA.

PAUL C. BRASHAW

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

Corners List Corners to be Indexed
Section Top Range
W 1/4 31 85N 6E

MONUMENT RECORD		
COUNTY: JACKSON		
TOWNSHIP: WASHINGTON		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	#

Book 2 Page 513



Document 07-453

Book 2 Page 514 Type 15 001 Pages 1

Date 2/02/2007 Time 2:04 PM

Rec Amt \$7.00

ARLENE SCHAUF, RECORDER
JACKSON COUNTY IOWA

Preparer's Name: Paul C. Brashaw Address: 4413 West Stagecoach Trail Galena, Ill. Telephone: 777-1172

SLSI 9-94

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

OF



Land Survey Monuments situated in Section 31, Township 8S North, Range
6E East, of the Fifth Principal Meridian, JACKSON County, Iowa.
Previously recorded in _____ in County Recorder's Office.
(book, page, document number, etc.)

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NW CORNER OF THE SOUTH 1/2 OF THE
SW 1/4 OF SECTION 31, T8S, R6E. SET 5/8" X 36" IRON
ROD WITH ORANGE CAP NO. 10134

PLAN - VIEW

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)

I HEREBY CERTIFY THAT THIS LAND SURVEYING
DOCUMENT WAS PREPARED AND THE RELATED
SURVEY WORK WAS PERFORMED BY ME OR UNDER MY
DIRECT PERSONAL SUPERVISION AND THAT I AM A
DULY LICENSED LAND SURVEYOR UNDER THE LAWS
OF THE STATE OF IOWA.Paul C. Brashaw Feb 2, 2007
(DATE)

LICENSE NUMBER 10134

MY LICENSE RENEWAL DATE IS DECEMBER 31, 2008

List Corners to be Indexed
Corners Section Twp Range
NW COR 31 85N 6E
SOUTH 1/2
SW 1/4

MONUMENT RECORD		
COUNTY: <u>JACKSON</u>		
TOWNSHIP: <u>WASHINGTON</u>		
DATE PLOTTED:	FIELD BOOK #	DRAWING
DATE REVISED:	PAGE #	#

Book 2 Page 514



Document 10-4753

Book 2 Page 736 Type 15 001 Pages 1
Date 11/22/2010 Time 9:08 AM
Rec Amt \$9.00

ARLENE SCHAUF, RECORDER/REGISTRAR
JACKSON COUNTY IOWA



PREPARED BY:
Landmark
ENGINEERING GROUP, INC.

927 N. 2ND ST.
Clinton, IA 52732
(563) 243-1398

SLSI 9-90

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE OF

Land Survey Monuments situated in Section 31, Township 85 N, Range 6 E, of the Fifth Principal Meridian, JACKSON County, Iowa.


Previously recorded in N/A, in JACKSON County Recorder's Office.

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NE COR. OF SE 1/4 OF THE NE 1/4 OF SEC. 31-85N-6E OF THE 5TH P.M., SET A 5/8" ROUND IRON ROD STAKE INLINE WITH A ANCIENT FENCE LINE RUNNING EAST AND WEST AND ON THE NORTHERLY EXTENSION OF THE EAST LINE OF THE NE 1/4 OF THE SE 1/4 OF SEC. 31, SEARCH AREA 10'.

PLAT OF SURVEY FOR RICHARD SCHLECHT JR. **PLAN - VIEW** PROJECT NO. 04-10-730


(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)



I hereby certify that this land surveying document was prepared and the related survey work was performed by me or under my direct personal supervision and that I am a duly licensed land surveyor under the laws of the State of Iowa.

Harry J. Goddard 11-1-10
Harry J. Goddard Date

My license is subject to renewal on Dec. 31, 2010
License No. 15524



Only those copies of this page signed in red color and displaying surveyors original

Seal are to be considered certified official copies.
(Iowa Admin. Code 193C-1.30)

List Corners to be Indexed

Corners	Section	Twp	Range
NE COR. OF SE 1/4 OF NE 1/4	31	81 N	6 E

85N

Book 2

Page 736



Document 10-4984

Book 2 Page 737 Type 15 001 Pages 1
Date 12/03/2010 Time 11:00 AM
Rec Amt \$9.00

ARLENE SCHAUF, RECORDER/REGISTRAR
JACKSON COUNTY IOWA



SLSI 9-90

UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE
OF

Land Survey Monuments situated in Section 31, Township 85 N, Range 6 E, of the Fifth Principal Meridian, JACKSON County, Iowa.


Previously recorded in BOOK 2 PAGE 736, in JACKSON County Recorder's Office.

(Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.)

Monument Description and Remarks: NE COR. OF SE 1/4 OF THE NE 1/4 OF SEC. 31-85N-6E OF THE 5TH P.M., SET
A 5/8" ROUND IRON ROD STAKE INLINE WITH A ANCIENT FENCE LINE RUNNING EAST AND WEST AND ON THE
NORTHERLY EXTENSION OF THE EAST LINE OF THE NE 1/4 OF THE SE 1/4 OF SEC. 31, SEARCH AREA 10'.

PLAT OF SURVEY FOR RICHARD SCHLECHT JR. PLAN - VIEW PROJECT NO. 04-10-730

(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)




RERECORDING FOR SE 1/4 INSTEAD OF SW 1/4.

I hereby certify that this land surveying document was prepared and the related survey work was performed by me or under my direct personal supervision and that I am a duly licensed land surveyor under the laws of the State of Iowa.

Harry J. Goddard Dec 2, 2010
Harry J. Goddard Date

My license is subject to renewal on Dec. 31, 2010
License No. 15524



Only those copies of this page signed in red color and displaying surveyors original

Seal are to be considered certified official copies.
(Iowa Admin. Code 193C-1.30)

List Corners to be Indexed

Corners	Section	Twp	Range
NE COR. OF SE 1/4 OF NE 1/4	31	85 N	6 E

RERECORDING FOR 85 N INSTEAD OF 81 N.

Book 2 Page 737